


enEXO™
RAILING SYSTEMS

Coffman
Specialty Building Products for Indoor and Outdoor Living

BUYER'S GUIDE



Outdoor Living

EXCEPTIONAL ENGINEERING. EFFORTLESS INSTALLATION.

*Aluminum Railing Intelligently Designed
for Fast Installation at Any Skill Level*

enEXOTM
RAILING SYSTEMS



THE FUTURE OF DECK INSTALLATION HAS ARRIVED!

Fewer tools, less time, minimal effort.

Engineered for effortless installation from start to finish, enEXO's concealed Internal Mounting System offers a sleek, precision-fit top rail connection with built-in flexibility for measurements. Pre-welded panels and pre-drilled posts simplify and accelerate the entire process, making it one of the fastest systems on the market. Deliver the modern style and unmatched performance your customers demand — outpace the competition with enEXO!



MADE IN USA

By **Coffman**

Scan to visit us online!
www.enexorailing.com

800.810.9204 | sales@coffmansbp.com



TABLE OF CONTENTS

Railing Options.....	04
enEXO System Anatomy.....	05
Product Overview	
Traditional Picket System	06
Open Mid Rail System	08
Cable System.....	10
Glass Compatible System.....	12
Universal Accessories	
Mounting Kits	14
Finishing Touches	15
Index	
Top Rail	16
Insert Panels	17
Post Kits	18
Mounting Kits	19
Post Caps and Accessories.....	19
Cable Parts	20
enEXO Deck Anatomy (Cable)	21
Resources	
Standard Measurements	22
Deck Visualizer Tool	23
Customization	24
Warranty Information	25

As the industry's specialty building materials leader for over 150 years, we are proud to be your trusted business partner.

OUTDOOR LIVING

enEXOTM
RAILING SYSTEMS

Powered By
 cable bullet

IG | RAILING[®]

INDOOR LIVING

Coffman[®]
STAIR PARTS

Coffman[®]
ATTIC STAIRS

RAILING OPTIONS

TOP RAIL


KALLOS GRASPABLE RAIL



8', 12', 16', AND 20'

POST KITS

- 3-1/2" PRIMARY POSTS
- LINE POSTS
**Stair or Heavy Duty available for all systems*
- POST KITS
Pre-drilled posts for Cable System (pg 11)



INCLUDED IN THE POST KIT



Hardware, Panel Mounts, Cap, & Base

UP TO 20' RAIL


Heavy Line Post | 1.688" post with 3/16" wall thickness for added strength. Pre-cut to fit under the top rail in level applications. Pre-drilled pilot holes for bottom mounts included.

Stair Line Posts | Thin-wall design for easy mounting with self-tapping screws. Taller to allow cutting to the desired top rail elevation. NOT pre-drilled as exact rise/run and post placement vary.


INFILL

PICKET


PRE-WELDED, FLAT OR STAIR - 6' OR 8' INSERTS



TRADITIONAL PICKET



OPEN MID RAIL PICKET



PRE-WELDED RAKE

cable bullet CABLE SYSTEM



Featuring enEXO Bullet® and pre-tapped posts

GLASS SYSTEM



Designed for 1/4" tempered glass with polished sides. Glass not included.

POST CAPS

STANDARD ORNAMENTAL, LOW VOLTAGE (5K-Bright OR 3K-Warm), SOLAR



ORNAMENTAL CAP
(included in post kit)



LOW VOLTAGE HALO CAP



LOW VOLTAGE COMBO CAP



LOW VOLTAGE DOWN LIGHT CAP




SOLAR CAP

FEATURES


- Saves time — effortless installation!
- Fully-welded insert panels - 6' and 8' sections — No panel assembly
- Installs fast with pre-drilled posts — **Mounting hardware Included**
- Error-Tolerant System — Allows for minor miscalculations
- 30-year Lifetime Warranty

MOUNTING KITS


Fasteners included in mounting kits.




35° STAIR MOUNT KIT




STRAIGHT/WALL MOUNT KIT




45° MOUNT KIT INSERT SYSTEM




MITERED CORNER ADJUSTABLE MOUNT KIT



ADJUSTABLE MOUNT KIT FOR STAIRS/RAMPS



ADJUSTABLE BOTTOM KIT FOR STAIRS/RAMPS



KNOCKDOWN GATE KIT (3-1/2" POSTS)



MEET **KALLOS**, THE BEAUTIFULLY-DESIGNED MODERN FLAT-TOP RAIL

ENEXO SYSTEM ANATOMY

Our enEXO Railing System is engineered for durability, ease of installation, and sleek design, delivering exceptional performance every time. Explore the image below to see how each feature works together to create a robust, stylish, and easy-to-install railing system.

HERE'S WHAT SETS ENEXO APART:

HIDDEN INTERNAL MOUNTING SYSTEM

Conceals less-than-perfect end cuts, offering flexibility and a precision fit while simplifying installation with fewer tools.

KALLOS – GRASPABLE, PRECISION-FIT TOP RAIL

Featuring a sleek, solid connection, the Kallos top rail is Type II ADA Compliant for accessibility and safety. As an added bonus, its wide flat top rail is perfect for holding drinks.

VERSATILE RAIL LENGTHS

8', 12', 16', & 20' - Longer, cleaner lines for over the top rail designs.



PRE-DRILLED POSTS

Designed for effortless installation, ensuring accurate alignment and a professional finish.

PRE-WELDED PICKET PANELS

Pre-welded to ensure superior durability to withstand tough handling, making installation easier and more reliable - a flawless installation every time.

EVERYTHING IN THE BOX!

From mounting hardware to fasteners, our system provides all the essentials for a smooth, efficient setup.



TRADITIONAL PICKET SYSTEM

Perfect for decks, patios, and balconies, our Traditional Picket System is the go-to choice for reliable performance and timeless beauty. Crafted from powder-coated aluminum, this railing resists corrosion and rust and is designed to meet the demands of modern outdoor living. Its modern, timeless design enhances the view and elevates the outdoor living experience, providing homeowners with a product that is as beautiful as it is practical.




Engineered for maximum install efficiency and durability, our railing features a unique internal mounting system that simplifies installation while concealing imperfections for a polished, professional result. Pre-welded panels add another layer of convenience and durability, enabling a flawless installation that stands up to both the elements and wear and tear over time.


With versatile rail lengths, including options for longer runs up to 20', this system offers the flexibility to handle a variety of project needs while maintaining clean, uninterrupted lines. The graspable top rail is both functional and stylish, meeting safety requirements without sacrificing visual appeal.

FEATURES

- Saves time — effortless installation!
- Fully-welded insert panels - 6' and 8' sections — No panel assembly
- Installs fast with pre-drilled posts — **Mounting hardware Included**
- Error-Tolerant System — Allows for minor miscalculations
- 30-year Lifetime Warranty




ARCHITECTURAL GRADE AAMA 2604 COLORS



TEXTURED BLACK



WHITE CLOUD



TEXTURED BRONZE

TRADITIONAL PICKET SYSTEM COMPONENTS

KALLOS GRASPABLE TOP RAIL



8'

806617 - B
806669 - W
806670 - BR

12'

806616 - B
806667 - W
806668 - BR

16'

806615 - B
806665 - W
806666 - BR

20'

806614 - B
806663 - W
806664 - BR

FULL MOUNTING BRACKET SELECTION

page 14

POST KITS

3-1/2" POSTS

CROSS OVER LINE POSTS

38"

3-1/2" 90° Post Kit
806624 - B
806692 - W
806693 - BR

38"

3-1/2" End Post Kit
806625 - B
806694 - W
806695 - BR

38"

3-1/2" Line Post Kit
806626 - B
806696 - W
806697 - BR

38"

3-1/2" Blank Post Kit
806627 - B
806707 - W
806708 - BR

44"

3-1/2" Bottom of Stair Post
806628 - B
806709 - W
806710 - BR

EVERYTHING IN THE BOX!
Post kits include all hardware and mounts needed for assembly. (See index - page 18)

33.5"

1.688" Heavy Duty Line Post Kit
806629 - B
806711 - W
806712 - BR

38"

1-5/8" Stair Line Post Kit
806630 - B
806713 - W
806714 - BR

INSERT PANELS & POST CAPS

TRADITIONAL INSERT PANELS

POST CAPS

6' - Panel
806619 - B
806673 - W

8' - Panel
806618 - B
806671 - W
806672 - BR

6' - Rake Adjustable 32°-37°
806620 - B
806675 - W
806676 - BR

8' - Rake Adjustable 32°-37°
806621 - B
806677 - W
806678 - BR

6' - Adjustable Panel Adjusts 0°-40°
806622 - B
806679 - W
806680 - BR

Ornamental Cap
(Included in post kit)
806639 - B
806740 - W
806741 - BR

Low Voltage Halo Cap
806640 - B
806742 - W
806743 - BR

Solar Cap
806643 - B
806748 - W
806749 - BR

Low Voltage Combo Cap
806641 - B
806744 - W
806745 - BR

Low Voltage Down Light Cap
806642 - B
806746 - W
806747 - BR

LOW VOLTAGE OPTIONS
Ⓚ (bright) or Ⓜ (warm)

VIEW MORE ACCESSORIES
see pages 19



OPEN MID RAIL PICKET SYSTEM

If you're looking for a fresh take on our Traditional Picket System, the Open Mid Rail System delivers all the durability and reliability you expect with a bold, contemporary twist. While crafted from the same corrosion-resistant powder-coated aluminum, this system stands out with a distinctive floating top rail design that enhances the view and adds a touch of modern elegance.




The Open Mid Rail System shares the same advanced internal mounting system and pre-welded panels as our Traditional Picket System, ensuring a streamlined installation and long-lasting performance. However, the floating top rail takes the aesthetic to the next level, creating an airy, open feel that perfectly complements outdoor living spaces.


With the versatility of rail lengths spanning up to 20', the Open Mid Rail System is ideal for longer runs and uninterrupted sightlines. Its graspable top rail remains both functional and stylish, meeting safety standards while emphasizing modern, understated elegance.

FEATURES

- Saves time — effortless installation!
- Fully-welded insert panels - 6' and 8' sections — No panel assembly
- Installs fast with pre-drilled posts — **Mounting hardware Included**
- Error-Tolerant System — Allows for minor miscalculations
- 30-year Lifetime Warranty




ARCHITECTURAL GRADE AAMA 2604 COLORS



TEXTURED BLACK



WHITE CLOUD



TEXTURED BRONZE

OPEN MID RAIL SYSTEM COMPONENTS

KALLOS GRASPABLE TOP RAIL



8'

806617 - B
806669 - W
806670 - BR

12'

806616 - B
806667 - W
806668 - BR

16'

806615 - B
806665 - W
806666 - BR

20'

806614 - B
806663 - W
806664 - BR

FULL MOUNTING BRACKET SELECTION


page 14

OPEN MID RAIL POST KITS

3-1/2" POSTS

CROSS OVER LINE POSTS

38"



3-1/2" OMR 90° Post Kit
806698 - B
806699 - W
806700 - BR

38"



3-1/2" OMR End Post Kit
806701 - B
806702 - W
806703 - BR

38"



3-1/2" OMR Line Post Kit
806704 - B
806705 - W
806706 - BR

38"



3-1/2" Blank Post Kit
806627 - B
806707 - W
806708 - BR

44"



3-1/2" Bottom of Stair Post
806628 - B
806709 - W
806710 - BR

EVERYTHING IN THE BOX!
Post kits include all hardware and mounts needed for assembly. (See index - page 18)

33.5"



1.688" OMR Heavy Duty Line Post Kit
806631 - B
806715 - W
806716 - BR

38"




1-5/8" OMR Stair Line Post Kit
806632 - B
806717 - W
806718 - BR


INSERT PANELS & POST CAPS

TRADITIONAL INSERT PANELS


POST CAPS



6' - OMR Panel
806684 - B
806685 - W
806686 - BR



8' - OMR Panel
806681 - B
806682 - W
806683 - BR



6' - OMR Rake Adjustable 32°-37°
806687 - B
806688 - W
806689 - BR



Ornamental Cap
(Included in post kit)
806639 - B
806740 - W
806741 - BR



Low Voltage Halo Cap
806640 - B
806742 - W
806743 - BR



Solar Cap
806643 - B
806748 - W
806749 - BR



Low Voltage Combo Cap
806641 - B
806744 - W
806745 - BR



Low Voltage Down Light Cap
806642 - B
806746 - W
806747 - BR

LOW VOLTAGE OPTIONS
5K (bright) or 3K (warm)

VIEW MORE ACCESSORIES
see pages 19



CABLE RAILING SYSTEM

The enEXO Cable Railing System combines modern design with exclusive innovation. At its core is the enEXO Bullet® tensioner, a sleek, easy-to-use component that eliminates typical bulky cable tensioners and keeps the lines clean. The enEXO Bullet® helps maintain the minimalist flow of the system while keeping the focus on the view, not the railing.




Engineered for simplicity, the Bullet® Tensioner allows quick, precise adjustments without disrupting the design. Its low-profile form blends seamlessly into the railing, creating a polished finish that supports both safety and long-term reliability.

Crafted from corrosion-resistant aluminum and stainless steel, the enEXO Cable Railing System is built for strength and lasting performance. With horizontal cables that maximize openness and complement contemporary architecture, it's an ideal choice for new homes and modern outdoor living spaces where durability, style, and uninterrupted views matter most.



FEATURES

- Exclusive enEXO Bullet® Tensioner
- Saves time on installation with pre-drilled and pre-tapped posts
- Corrosion-resistant aluminum & steel
- Clean, minimalist cable design for modern outdoor spaces
- 5/32" 7x7 Cable Marine Grade T316 Cable



 **cable bullet**

Featuring enEXO Bullet®
and pre-tapped posts

1-Year Limited Manufacturer's Warranty on Cable Tensioners and Cable Railing.

ARCHITECTURAL GRADE
AAMA 2604 COLOR



TEXTURED
BLACK

CABLE RAIL SYSTEM COMPONENTS

KALLOS GRASPABLE TOP RAIL




8'	806617-B	16'	806615-B
12'	806616-B	20'	806614-B

**FULL
MOUNTING
BRACKET
SELECTION**
page 14


OPEN MID RAIL POST KITS

3-1/2" POSTS

CROSS OVER LINE POSTS



*Cable Tensioners
& Accessories
Sold Separately*



Pre-drilled for 10 rows of cable.
Blank Posts also available

See page 20 for NXO Cable Rail Post Components
and page 21 for our Deck Anatomy

CABLE COMPONENTS & ACCESSORIES

CABLE COMPONENTS

CABLE ACCESSORIES



Wood Tensioner
Available in Stainless Steel
and Anodized Aluminum Black
806647 - SS
806956 - B



Metal Post Tensioner
Available in Stainless Steel
and Anodized Aluminum Black
806958 - SS
806649 - B



Crimper
806979



Cable Spools | 100' and 500'
5/32" 7x7 T316 Cable
Available in Stainless Steel and Black
806974 - 100' SS 806976 - 100' B
806975 - 500' SS 806977 - 500' B



Cutter
806978



Allen Wrench (3/32")
806981



Driver
806980



GLASS COMPATIBLE SYSTEM

Transform outdoor spaces with uninterrupted views and modern elegance using our Glass Compatible System. Designed to accommodate tempered 1/4" glass panels, this system allows you to showcase scenic landscapes and breathtaking views. We've engineered the ideal system for installers to effortlessly meet today's outdoor living trends.



Crafted from powder-coated aluminum, this system resists corrosion and weather damage, delivering long-lasting durability while complementing the clean, minimalist look of the glass panels. enEXO's innovative internal mounting system ensures a streamlined installation, providing a flawless, polished finish that maximizes visibility without compromising strength or safety.

Available in versatile rail lengths to suit a range of project needs, our Glass Compatible System gives you the flexibility to design expansive, unobstructed spaces while maintaining the performance and reliability you expect from our premium aluminum railing systems.


Combining sleek design and panoramic views, enEXO's Glass Compatible System is the perfect choice to elevate any outdoor living experience.

FEATURES

- 5' Glass rail firmly secures 1/4" tempered glass (*glass not included*)
- Fully welded insert panels - 6' and 8' sections
- Installs fast with pre-drilled posts – **Mounting hardware Included**
- AMMA 2604 powder coating
- 30-year Lifetime Warranty




ARCHITECTURAL GRADE AAMA 2604 COLORS



TEXTURED BLACK



WHITE CLOUD



TEXTURED BRONZE

GLASS COMPATIBLE SYSTEM COMPONENTS

KALLOS GRASPABLE TOP RAIL



8'

806617 - B
806669 - W
806670 - BR

12'

806616 - B
806667 - W
806668 - BR

16'

806615 - B
806665 - W
806666 - BR

20'


806614 - B
806663 - W
806664 - BR

FULL MOUNTING BRACKET SELECTION

page 14

POST KITS

3-1/2" POSTS



3-1/2" 90° Post Kit

806624 - B
806692 - W
806693 - BR

3-1/2" End Post Kit

806625 - B
806694 - W
806695 - BR

3-1/2" Line Post Kit

806626 - B
806696 - W
806697 - BR

3-1/2" Blank Post Kit


806627 - B
806707 - W
806708 - BR

3-1/2" Bottom of Stair Post

806628 - B
806709 - W
806710 - BR

EVERYTHING IN THE BOX!
Post kits include all hardware and mounts needed for assembly. (See index - page 18)

CROSS OVER LINE POSTS



1.688" Heavy Duty Line Post Kit


806629 - B
806711 - W
806712 - BR

1-5/8" Stair Line Post Kit

806630 - B
806713 - W
806714 - BR

INSERT PANELS & POST CAPS

GLASS INFILL KIT



5' - Glass Bottom Rail Kit with Top Rail Insert


806623 - B
806690 - W
806691 - BR

POST CAPS



Ornamental Cap
(Included in post kit)

806639 - B
806740 - W
806741 - BR



Low Voltage Halo Cap

806640 - B
806742 - W
806743 - BR



Solar Cap

806643 - B
806748 - W
806749 - BR



Low Voltage Combo Cap

806641 - B
806744 - W
806745 - BR



Low Voltage Down Light Cap

806642 - B
806746 - W
806747 - BR

LOW VOLTAGE OPTIONS
Ⓚ (bright) or Ⓚ (warm)


VIEW MORE ACCESSORIES

see pages 19


Fasteners included in mounting kits. 

STAIR MOUNT KITS


STANDARD AND ADJUSTABLE MOUNTS



**35° Stair
Mount Kit**
806633 - B
806719 - W
806820 - BR




**ADJ Mount Kit
for Stairs/Ramps**
806644 - B
806750 - W
806751 - BR




**ADJ Bottom Mount
Kit for Stair/Ramp**
806645 - B
806752 - W
806753 - BR

MOUNTING KITS


STRAIGHT MOUNTS



Straight/Wall Mount Kit
806635 - B
806723 - W
806724 - BR




Mitered Corner Adjustable Mount Kit
806636 - B
806725 - W
806726 - BR



45° Mount Kit Insert System
806637 - B
806727 - W
806728 - BR

GATE KITS



Knockdown Gate Kit
(3-1/2" Posts - Max opening size 54")

806638 - B
806729 - W
806730 - BR

INCLUDED IN THE BOX

3-1/2" POST KITS



3-1/2" POST KIT

Pre-Drilled Post - Includes:

- Ornamental post cap (non-lighted)
- (5) #10x1-1/2" screws
- (8) #10x3/4" screws
- (2) Bottom mounts
- Baseplate cover



3-1/2" POST KIT (OPEN MID RAIL)

Pre-Drilled Post- Includes:

- Ornamental post cap (non-lighted)
- (8) #10x1-1/2" screws
- (10) #10x3/4" screws
- (2) Mid-rail mounts
- (2) Bottom mounts
- Baseplate cover

HEAVY DUTY LINE POST KITS



HEAVY DUTY LINE POST KIT

Pre-Drilled - Includes:

- Top rail mouting bracket
- (5) #10x1-1/2" screws
- (8) #10x3/4" screws
- (2) Bottom mounts
- Baseplate cover



HEAVY DUTY LINE POST KIT (OPEN MID RAIL)

Pre-Drilled - Includes:

- Top rail mouting bracket
- (5) #10x1-1/2" screws
- (8) #10x3/4" screws
- (2) Mid-rail mounts
- (2) Bottom mounts
- Baseplate cover

STAIR LINE POST KITS



STAIR LINE POST KIT

Easy-Tap/Cuttable - Includes:

- Adjustable top rail mouting bracket
- (5) #10x1-1/2" screws
- (8) #10x3/4" screws
- (2) Bottom mounts (up & down)
- Baseplate cover



STAIR LINE POST KIT (OPEN MID RAIL)

Easy-Tap/Cuttable - Includes:

- Adjustable top rail mouting bracket
- (10) #10x1-1/2" screws
- (8) #10x3/4" screws
- (2) Mid-rail (up & down)
- (2) Bottom mounts (up & down)
- Baseplate cover

UNIVERSAL ACCESSORIES


3-1/2" POST KITS
INCLUDE
(1) ORNAMENTAL CAP

POST CAPS



Ornamental Cap

(Included in post kit)
806639 - B
806740 - W
806741 - BR



Low Voltage Halo Cap

(5K) (bright) (3K) (warm)
806640 - B | 806942 - B
806742 - W | 806943 - W
806743 - BR | 806944 - BR



Low Voltage Combo Cap

(5K) (bright) (3K) (warm)
806641 - B | 806945 - B
806744 - W | 806946 - W
806745 - BR | 806947 - BR



Low Voltage Down Light Cap

(5K) (bright) (3K) (warm)
806642 - B | 806948 - B
806746 - W | 806949 - W
806747 - BR | 806950 - BR



Solar Cap

806643 - B
806748 - W
806749 - BR

POWER SUPPLY & WIRING



50 Watt LED
Low Voltage
Smart Power Supply
w/ Photo eye, Timer &
Smart Phone Connectivity
806933



Low Voltage LED
Harness
806934 - 2'
806935 - 5'
806936 - 7'
806937 - 9'
—
806938 - 12'
806939 - 25'



Low Voltage LED
Output Splitter
806940 - 2 Output
806941 - 5 Output

TOUCH-UP PAINT



Black
806646



White
806754



Bronze
806755



DESCRIPTION		BLACK	WHITE	BRONZE
KALLOS TOP RAIL (GRASPABLE)				
1	NXO-6840-20' Kallos Top Rail 20'	806614	806663	806664
2	NXO-6840-16' Kallos Top Rail 16'	806615	806665	806666
3	NXO-6840-12' Kallos Top Rail 12'	806616	806667	806668
4	NXO-6840-8' Kallos Top Rail 8'	806617	806669	806670
INSERT PANELS				
5	NXO-PANEL 8' Insert Panel Kit (Level)	806618	806671	806672
6	NXO-PANEL 6' Insert Panel Kit (Level)	806619	806673	806674
7	NXO-PANEL-RAKE 35° 6' Stair Panel Kit	806620	806675	806676
8	NXO-PANEL-RAKE 35° 8' Stair Panel Kit	806621	806677	806678
9	NXO-ADJ-PANEL 6' ADJ Stair Panel Kit	806622	806679	806680
OPEN MID RAIL PANELS				
10	NXO-OMR-PANEL 8' Open Mid Rail Panel Kit	806681	806682	806683
11	NXO-OMR-PANEL 6' Open Mid Rail Panel Kit	806684	806685	806686
12	NXO-OMR-PANEL-RAKE 6' 35° Open Mid Rail Stair Panel Kit	806687	806688	806689
GLASS INFILL KIT (GLASS NOT INCLUDED)				
13	NXO-GLASS 5' Glass Bottom Rail Kit Textured Black	806623	806690	806691

ARCHITECTURAL GRADE AAMA 2604 COLORS

NOTES:


Stair Panel Kit | Adjustable 32°-37°

Adjustable Insert Panel Kit | Adjusts 0-40°


Open Mid Rail Stair Panel Kit | Adjustable 32°-37°




NXO-6840




NXO-PANEL 6'



NXO-PANEL 8'



NXO-PANEL-RAKE 6'



NXO-PANEL-RAKE 8'

By **Coffman**

INSERT PANELS RAIL, POSTS



DESCRIPTION		BLACK	WHITE	BRONZE
KALLOS POST KITS				
14	NXO-POST Kallos 3-1/2" 90° Post Kit	806624	806692	806693
15	NXO-POST Kallos 3-1/2" End Post Kit	806625	806694	806695
16	NXO-POST Kallos 3-1/2" Line Post Kit	806626	806696	806697
KALLOS OPEN MID RAIL POST KITS				
17	NXO-POST-OMR Kallos 3-1/2" 90° Post Open Mid Rail Kit	806698	806699	806700
18	NXO-POST-OMR Kallos 3-1/2" End Post Open Mid Rail Kit	806701	806702	806703
19	NXO-POST-OMR Kallos 3-1/2" Line Post Open Mid Rail Kit	806704	806705	806706
UNIVERSAL POST KITS				
20	NXO-POST 3-1/2" Blank Post Kit	806627	806707	806708
21	NXO-POST 3-1/2" Bottom of Stair Post Kit	806628	806709	806710
CROSS OVER LINE POSTS				
22	NXO-POST 1.688" Heavy Line Post Kit <i>(see notes below)</i>	806629	806711	806712
23	NXO-POST 1-5/8" Stair Line Post Kit <i>(see notes below)</i>	806630	806713	806714
OPEN MID RAIL CROSS OVER LINE POSTS				
24	NXO-POST-OMR 1.688" OMR Heavy Line Post Open Mid Rail Kit <i>(see notes below)</i>	806631	806715	806716
25	NXO-POST-OMR 1-5/8" Stair Line Post Open Mid Rail Kit <i>(see notes below)</i>	806632	806717	806718


ARCHITECTURAL GRADE AAMA 2604 COLORS
AAMA 2605 Colors are available by special order

NOTES:

Included With Posts | Hardware & brackets: Ornamental post cap (3-1/2" posts only, non-lighted), Baseplate cover, Bottom mount, Mid-rail mount (OMR), #10x1-1/2" screws, and #10x3/4" screws.

Stair Line Post | This 1-5/8" thin-wall design is taller to allow cutting to the desired top rail elevation. These posts are not predrilled, as exact rise/run and post placement vary. The thin wall allows easy mounting with self-tapping screws, eliminating the need for pilot holes.

Heavy Line Post | This 1.688" heavy post has a 3/16" wall thickness for added strength and is pre-cut to fit under the top rail in level applications. Pre-drilled pilot holes for bottom mounts are included, like with our 3-1/2" end, 90°, and line posts.



By **Coffman**




DESCRIPTION		BLACK	WHITE	BRONZE
STAIR MOUNT KITS - INSERT SYSTEM				
26	NXO-KIT Kallos 35° Stair Mount Kit	806633	806719	806720
STAIR MOUNT KITS - OPEN MID RAIL SYSTEM				
27	NXO-KIT Kallos 35° Stair Mount Kit	806634	806721	806722
INSERT SYSTEM ACCESSORIES				
28	NXO-KIT Kallos Straight Mount Kit	806635	806723	806724
29	NXO-KIT Kallos Mitered Corner Adjustable Mount Kit	806636	806725	806726
30	NXO-KIT Kallos 45° Mount Kit - Insert System	806637	806727	806728
31	NXO-KIT Kallos Knockdown Gate Kit (3-1/2" Posts - maximum opening size 54")	806638	806729	806730
OPEN MID RAIL ACCESSORIES				
32	NXO-KIT-OMR Kallos Straight Open Mid Rail Mount Kit	806731	806732	806733
33	NXO-KIT-OMR Kallos Mitered Corner Adj Open Mid Rail Mount Kit	806734	806735	806736
34	NXO-KIT-OMR Kallos 45° Open Mid Rail Mount Kit	806737	806738	806739
ADJUSTABLE MOUNT KITS FOR INSERT SYSTEM				
35	NXO-KIT ADJ Mount Kit for Stairs/Ramps (1 per side of stairs/ramp)	806644	806750	806751
36	NXO-KIT ADJ Bottom Mount Kit for Stair/Ramp (1 per line post on stairs/ramp)	806645	806752	806753

ARCHITECTURAL GRADE AAMA 2604 COLORS

WHAT HARDWARE DO I NEED?

Standard post hardware is *already included* in the post kit. Post anchors not included.

Refer to local building codes for installation requirements; failure to install this product in accordance with building codes may affect safety of the product and void product warranty.



LEFT TO RIGHT:

- A. 35° STAIR MOUNT KIT – #26
- B. STRAIGHT MOUNT KIT – #28
- C. MITERED CORNER ADJUSTABLE MOUNT KIT – #29
- D. 45° MOUNT KIT - INSERT SYSTEM – #30
- E. KNOCKDOWN GATE KIT (3-1/2" POSTS) – #31
- F. ADJ MOUNT KIT FOR STAIRS/RAMPS – #35
- G. ADJ BOTTOM MOUNT KIT FOR STAIR/RAMP – #36

Fasteners included in all mounting kits.



By *Coffman*

MOUNTING KITS POST CAPS AND MORE



DESCRIPTION		BLACK	WHITE	BRONZE
UNIVERSAL ACCESSORIES - POST CAPS				
37	NXO-CAP Ornamental Post Cap Non-Lighted (Included in post kit)	806639	806740	806741
38	NXO-CAP Low Voltage Ornamental Halo Cap (5K - Daylight white)	806640	806742	806743
	NXO-CAP Low Voltage Ornamental Halo Cap (3K - Warm white)	806942	806943	806944
39	NXO-CAP Low Voltage Ornamental Combo Cap (5K - Daylight white)	806641	806744	806745
	NXO-CAP Low Voltage Ornamental Combo Cap (3K - Warm white)	806945	806946	806947
40	NXO-CAP Low Voltage Ornamental Downward Cap (5K - Daylight white)	806642	806746	806747
	NXO-CAP Low Voltage Ornamental Downward Cap (3K - Warm white)	806948	806949	806950
41	NXO-CAP Ornamental Solar Cap	806643	806748	806749
TOUCH UP PAINT				
42	NXO-PAINT Touch Up Paint 6oz Spray Can	806646	806754	806755


ARCHITECTURAL GRADE AAMA 2604 COLORS

DESCRIPTION	Universal	2'	5'	7'	9'	12'	25'
POWER SUPPLY AND LIGHTING HARNESSSES							
43	50 Watt LED Low Voltage Smart Power Supply w/ Photo eye, Timer & Smart Phone Connectivity	806933	-	-	-	-	-
44	Low Voltage LED Harness (2', 5', 7, 9', 12, or 25')	-	806934	806935	806936	806937	806938
45	2 Output Splitter - Low Voltage LED	806940	-	-	-	-	-
46	5 Output Splitter - Low Voltage LED	806941					



ORNAMENTAL CAP
(included in post kit)
(37)

**3-1/2" POST KITS
INCLUDE
(1) ORNAMENTAL CAP**



**LOW VOLTAGE
HALO CAP**

(5K) or (3K)
(38)



**LOW VOLTAGE
COMBO CAP**

(5K) or (3K)
(39)



**LOW VOLTAGE
DOWN LIGHT CAP**

(5K) or (3K)
(40)



**SOLAR CAP
(41)**


NEED OCEAN-FRONT RATED OPTIONS?

Ask about AAMA 2605 Color availability

By **Coffman**

DESCRIPTION		BLACK
TERMINAL		
A	3-1/2" CABLE 90° Terminal Post	806959
B	3-1/2" CABLE END Terminal Post	806960
PASS THROUGH		
C	3-1/2" CABLE Pass Through LINE Post	806961
D	1.7" CABLE Pass Through LINE Post	806962
E	1.7" CABLE TOP RAIL JOINER Pass Through Post	806963
F	1-5/8" CABLE Pass Through Stair Line Post	806964
G	3-1/2" CABLE Pass Through TOP OF STAIR Post	806966
BOTTOM/TOPS		
H	3-1/2" CABLE BOTTOM STAIR POST	806965
I	3-1/2" CABLE TOP OF STAIR BLANK POST (no top rail cutouts)	806967
J	3-1/2" CABLE TOP OF STAIR TERMINAL END POST/Mitered Corner Post <i>(Use adjustable side to side top mount kit. Top rail cutout for level side, tapped for fittings both sides.)</i>	806968
K	3-1/2" CABLE 90° LEFT TOP OF STAIR POST	806983
L	3-1/2" CABLE 90° RIGHT TOP OF STAIR POST	806999
KITS		
M	5/8" Cable Spacer Kit	806969

TEXTURED
BLACK



LEFT TO RIGHT:

- A. 90° CABLE POST
- B. CABLE END POST
- C. 3-1/2" CABLE PASS THROUGH LINE POST


- D. 1.7" CABLE PASS THROUGH LINE POST
- E. 1.7" CABLE JOINER PASS THROUGH LINE POST
- F. 1-5/8" PASS THROUGH STAIR LINE POST

- G. 3-1/2" CABLE TOP OF STAIR THROUGH POST
- H. CABLE BOTTOM STAIR POST
- I. 3-1/2" CABLE TOP OF STAIR BLANK POST

- J. 3-1/2" CABLE TOP OF STAIR END POST
- K. 3-1/2" CABLE 90° LEFT TOP OF STAIR POST
- L. 3-1/2" CABLE 90° RIGHT TOP OF STAIR POST

- M. 5/8" CABLE SPACER KIT

ENEXO DECK ANATOMY (CABLE)



By *Coffman*

ALUMINIUM RAILING



POST OPTIONS	LENGTH*	WIDTH	BASE PLATE
NXO-POST Kallos 3-1/2" 90° Post	38"	3-1/2"	5" x 5"
NXO-POST Kallos 3-1/2" End Post	38"	3-1/2"	5" x 5"
NXO-POST Kallos 3-1/2" Line Post	38"	3-1/2"	5" x 5"
NXO-POST 3-1/2" Blank Post	38"	3-1/2"	5" x 5"
NXO-POST 3-1/2" Bottom of Stair Blank	44"	3-1/2"	5" x 5"
NXO-POST 1.688" Heavy Line Post	33.75"	1.688"	4" x 4"
NXO-POST 1-5/8" Stair Line Post	38"	1-5/8"	4" x 4"
NXO-CABLE 3-1/2" Top of Stair Thru Post	38"	3-1/2"	5" x 5"
NXO-CABLE 3-1/2" LH/RH Top of Stair Post	38"	3-1/2"	5" x 5"
NXO-CABLE 3-1/2" Top of Stair End Post	38"	3-1/2"	5" x 5"
NXO-CABLE 1.7" Pass Thru Line Post	33.75"	1.7"	4" x 4"
NXO-CABLE 1.688" Top Rail Joiner Pass Thru Post	33.5"	1.688"	4" x 4"
NXO-CABLE 5/8" Spacer Kit	34.5"	5/8"	-

*Length does not include Cap


DECK VISUALIZER TOOL

STREAMLINE YOUR DECK PROJECTS WITH EASE

Our online Deck Visualizer Tool is designed to make your job more efficient and precise. Use it to map out deck layouts, customize designs, and select colors and materials, ensuring your vision accurately comes to life.

The tool simplifies planning by generating a detailed list of all components and materials needed, so you can order accurately and avoid delays. Save time on planning, reduce material waste, and deliver professional results with every project.

Take your deck building to the next level with this essential contractor tool!



EXPLORE SIMPLIFIED DECK PLANNING

Visit <https://www.enexorailing.com/visualizer> or scan below:



START HERE



DECK LAYOUT



COLOR SELECTOR



STYLE SELECTOR




PROJECT MATERIALS LIST



CUSTOMIZABLE TO FIT YOUR NEEDS

enEXO's railing is designed to be customizable to match your customer's style. Combine colors or infill to design a look that is completely unique and fits the desired aesthetic.



WE MAKE IT QUICK AND EASY TO INSTALL

Our innovative railing system is engineered to be one of the simplest and most time-efficient options available. Recent feedback shows that our system installs in half the time compared to competitors.

By *Coffman*

enEXO 30-Year Stress-Fress Warranty

enEXO Railing Systems (by Coffman) offers a nontransferable limited lifetime product warranty from manufacturer defects. This warranty covers cracking, peeling, blistering, or flaking and maintaining tolerances in weathering in accordance with AAMA 2604 Specifications. Lifetime shall mean 30 years.

This warranty is in effect:

- For the lifetime* of the owner where material is installed and applies to the end purchaser of the product whether directly purchased or through a contractor.
- Proof of purchase must be made to file a warranty claim.

Limitations: Coffman and enEXO Railing systems do not cover any defects caused by acts of God, such as: tornado, hail, hurricane, earthquake, flood, lightning, fire, salt, or storm damage; Damage caused by air pollution, mildew, or harmful chemicals. Harmful chemicals may also cause discoloration and should not be used to clean any enEXO products. Damage caused by foreign objects, any abuse or misuse, improper handling during transportation, or damage caused by incorrect installation will not be covered under this warranty. Misuse of the product will not be covered and will void the warranty. Labor and installation costs are not covered under any warranty.

Care Instructions: All enEXO Railing products should be cleaned on a regular basis. Failure to carry out correct cleaning maintenance may result in discoloration or staining depending on the environment. Recommended cleaning should be carried out on an as-needed basis but not less than annually. Warm soapy water and soft cloth should be used when cleaning enEXO Railing products.

DO NOT Use high-pressure power washing equipment to clean enEXO Railing products.

TERMS & CONDITIONS

A claim shall only be initiated if proof of purchase and ownership is forwarded prior to the expiration of the warranty period by certified mail or email return receipt requested to the address below. Warranty resolution will solely be made with material provision, excluding labor.

WARRANTY REGISTRATION REQUIREMENT:

To activate and validate this warranty, you must register the warranty online within 30 days of the date of purchase. Failure to complete the registration within the specified time frame will render this warranty null and void. Registration can be completed by visiting enexorailing.com. Proof of purchase may be required during the registration process.

Warranty Claims can be submitted to:

Coffman
Attn: enEXO Warranty Claims
7950 Third Flag Parkway, Suite 100
Austell, GA 30168
(800) 810-9204

CableBullet 1-Year Limited Manufacturer's Warranty

Limited Warranty: Cable Bullet stands behind the quality and craftsmanship of its product. Cable Bullet warrants its cable railing components (the "Product") to be free from manufacturing defects in materials and workmanship under normal use, conditions and maintenance for a period of one (1) year following the date of purchase (the "Limited Warranty").

Non-Transferable: This Limited Warranty is to the original purchaser of the Product only and is not transferable to any other person or entity.

Exclusions from Coverage: Cable Bullet has no obligation under this Limited Warranty with respect to any defect or damage to the Product arising from any abuse or mishandling of the Product. This Limited Warranty shall not apply to any claimed defect or damage arising out of or being caused by any of the following, including but not limited to:


- Improper installation by a third-party installer and/or failure of third-party installer to abide by local building codes or ordinances; or
- Use, care, maintenance or handling of the Product by any party other than the original purchaser; or
- Use of third-party products that are not designed, produced or manufactured by Cable Bullet but are used in connection with the Product; or
- Failure to abide by maintenance instructions included with the Product or on the website;
- Ordinary wear and tear of the Product; or
- Any Act of God, including without limitation, wildfires, flooding, lightning, hurricanes, etc. or other hazardous environmental condition; or
- Normal use or weathering, including without limitation, fading, scratching or continued exposure to corrosive atmospheric contaminants or chlorinated pool water.

LIMITED WARRANTY REMEDIES:

In the event the original purchaser discovers any defects in materials and workmanship of the Product caused by something other than the exclusions listed above, Cable Bullet shall have the right to inspect the Product to determine if such defect is covered under this Limited Warranty. Upon determination by Cable Bullet that defects in the Product are covered by the terms of this Limited Warranty, the original purchaser's remedy will be in the form of repair, replacement or refund, at Cable Bullet's discretion. In the event Cable Bullet determines that Product is defective, then within twenty (20) days of such determination, the original purchaser shall ship the defective Product to Cable Bullet at the address provided below. Cable Bullet shall reimburse the original purchaser for fees reasonably incurred in the purchaser's shipment of the defective Product.

Warranty Claims can be submitted to:

Cable Bullet
300 Eastlake Drive
Warsaw, IN 46580




AMERICAN MADE



enEXO[™]
RAILING SYSTEMS

By *Coffman*[®]



Connect With Us